

MUNICIPAL CORPORATION OF DELHI
PUBLIC HEALTH DEPARTMENT
NARELA ZONE

No. DHO/NRZ/2023/D-452

Dated: 12/6/23

SCHOOL HEALTH CERTIFICATE

Date of Inspection : 12.06.2023

1. Name of School : RAJDHANI PUBLIC SCHOOL
2. Address : Kureni Road, Narela, Delhi – 110040
3. No. of Shifts : One Timing 08:00 AM to 02:00 PM

Accommodation Provided

THE FLOOR AREA IN THE CLASSROOM IS SUFFICIENT.

THE CLASSES ARE WELL LIGHTED.

THE CLASSROOMS ARE WELL VENTILATED.

THE CLASSROOMS ARE KEPT NEAT AND CLEAN.

THE DRINKING WATER IS WATER TEST REPORT APPROVED BY BTH Lab..


THE TOILET ARRANGEMENT IS SANITARY & HYGENIC AND SUFFICIENT IN NUMBER.


Remarks :


THIS CERTIFICATE DOES NOT INDICATE PERMISSIBILITY FROM LAND POINT OF VIEW.

The certificate is valid for a period of one year from the date of issue.

The Manager
Rajdhani Public School
Kureni Road, Narela, Delhi – 110040






MANAGER
RAJDHANI PUBLIC SCHOOL
NARELA, DELHI - 110040


Dy. Health Officer
Narela Zone



Vice Principal
Rajdhani Public School
Kureni, Narela Delhi-110040



TEST REPORT

ULR No.:	TC900023000000161F		Page 1 of 2
Test Report No.:	TR320230607010	Issue Date:	07/06/2023
Discipline:	Chemical	Group:	Water
Name of Customer (Report Issued To):	RAJDHANI PUBLIC SCHOOL KURENI ROAD, NARELA, DELHI-110040		
Name of Manufacturer:	N/A		
Item Description/Particulars Of Sample Submitted:	Said to be, "R.O. Water for Drinking Purpose"		
Sample/Item Condition:	Fit for testing		
Identification:	Model:	-	Serial No.: Nil
			Sample Code: Nil
Sample Deposited/Collected by:	Customer		
Customer Reference no.	Nil	Date:	02/06/2023
Job Order No.:	BTH-R3/CH/230602/2	Date of receipt:	02/06/2023
Date(s) of performance of tests:	02/06/2023 to 07/06/2023		
Laboratory Name and Address:	BHARAT TEST HOUSE PVT. LTD. 1668 (DIV-II), HSIIDC Indl. Estate, Rai, Distt. Sonapat-131029 Haryana.		 Scan this QR Code to verify the Report
Test Location:	At Lab		
Test Specification(s):	Protocol followed as per IS 10500:2012 with Amendment No. 1, 2, 3 & 4		
General Environmental Conditions:	Temperature: 27°C ± 2°C; Relative Humidity: 65% ± 5% RH		
Result:	The results reported are as per relevant specifications/standards.		
Supplementary Information's:	- Deviation from the test methods as prescribed in relevant Specification/Work Instructions: N/A - The information supplied by the customer may affect the validity of results reported as per standard requirement.		
Abbreviations:	N/A :- Not Applicable		
Remarks:	1. The report has been generated and verified digitally. This report is related to the sample submitted.		
Tested by:	Reviewed by:	Authorized by:	
			
Shailendra	Vinod Nair	Vinod Nair	
Testing Engineer/Analyst	Authorized Signatory	Authorized Signatory	
Date: 07/06/2023	Date: 07/06/2023	Date: 07/06/2023	


MANAGER
RAJDHANI PUBLIC SCHOOL
NARELA, DELHI - 110040


Vice Principal
Rajdhani Public School
Kureni Marg, Narela, Delhi-110040

BHARAT TEST HOUSE PVT. LTD.

1668(DIV-II), HSIIDC Industrial Estate, Rai, Distt. Sonapat, Haryana-131029
Tel.: 0130-2974474 | Mob.: 8053000887, 8930260106 | email: bthrai@bharattesthouse.com

(1) The above results are related only to the Tests/Calibration performed on the product received. Endorsement of product is neither inferred nor implied. (2) This report is not to be reproduced wholly or in part & forbidden to be used as an evidence in the court law & ought not to be used in any advertising media without our special permission in writing. (3) Samples will be disposed after 30 days except perishable items (within 7 days) from date of issue of report or as per the regulatory guidelines, if not collected or claimed by the customer. (4) Total liability of our Test House is limited to the invoice amount only. (5) Report refers to the product received by Bharat Test House Pvt. Ltd. unless mentioned otherwise.

BTHPL/7.2/01




ULR No. TC900023000000161F
Test Report No. TR320230607010

Page 2 of 2
Date: 07/06/2023

S. No.	Test & Clause reference	Requirement as per IS 10500:2012 With amendment No. 1, 2, 3 & 4		Test Results/ Observations
		Requirement (Acceptable Limit)	Requirement limit In the absence of alternate source	
A	Organoleptic and Physical Parameter (Table 1)			
1	Colour Cl.4, Table 1, S.No.(i) of IS 10500:2012 & IS 3025-4:1983	5 Hazen units Max.	15 Hazen units Max.	< 5 Hazen units
2	Odour Cl.4, Table 1, S.No. (ii) of IS 10500:2012 & IS 3025-5:2018	Agreeable	Agreeable	Agreeable
3	pH value Cl.4-Table-1, S.No. (iii) of IS 10500:2012 & IS 3025-11:1983	6.5 – 8.5	No relaxation	7.8
4	Taste Cl. 4, Table 1, S.No. (iv) of IS 10500:2012 & IS 3025-8:1984	Agreeable	Agreeable	Agreeable
5	Turbidity Cl.4, Table 1, S.No. (v) of IS 10500:2012 & IS 3025-10:1984	1 NTU Max.	5 NTU Max.	< 1 NTU
6	Total Dissolved Solids Cl.4, Table 1, S.No. (vi) of IS 10500:2012 & IS 3025-16:1984	500 mg/l Max.	2000 mg/l Max.	102 mg/l
B	General Parameters Concerning Substance Undesirable in Excessive Amounts (Table 2)			
1	Chloride (as Cl) Cl. 4, Table 2, S.No. (viii) of IS 10500:2012 & IS 3025-32:1988	250 mg/l Max.	1000 mg/l Max.	8.5 mg/l
2	Fluoride (as F) Cl. 4, Table 2, S.No. (x) of IS 10500:2012 & IS 3025-60:2008	1.0 mg/l Max.	1.5 mg/l Max.	Not detected
3	Iron (as Fe) Cl. 4, Table 2, S.No. (xii) of IS 10500:2012 & IS 3025-53:2003	0.3 mg/l Max.	No relaxation	Not detected
4	Total hardness (as CaCO ₃) Cl. 4, Table 2, S.No. (xxiii) of IS 10500:2012 & IS 3025-21:2009	200 mg/l Max.	600 mg/l Max.	78.3 mg/l


MANAGER
RAJDHANI PUBLIC SCHOOL
NARELA, DELHI - 110040

End of Document


Vice Principal
Rajdhani Public School
Kureni Marg, Narela, Delhi-40



The NABL Accreditation claimed is valid only for the scope of accreditation as on date of this report, as mentioned on NABL Website.




BTHPL/7.2/01

BHARAT TEST HOUSE PVT. LTD.

1668(DIV-II), HSIIDC Industrial Estate, Rai, Distt. Sonapat, Haryana-131029
Tel.: 0130-2974474 | Mob.: 8053000887, 8930260106 | email: bthrai@bharattesthouse.com

(1) The above results are related only to the Tests/Calibration performed on the product received. Endorsement of product is neither inferred nor implied. (2) This report is not to be reproduced wholly or in part & forbidden to be used as an evidence in the court law & ought not to be used in any advertising media without our special permission in writing. (3) Samples will be disposed after 30 days except perishable items (within 7 days) from date of issue of report or as per the regulatory guidelines, if not collected or claimed by the customer. (4) Total liability of our Test House is limited to the invoice amount only. (5) Report refers to the product received by Bharat Test House Pvt. Ltd. unless mentioned otherwise.


TEST REPORT

Test Report No.:	TR320230607011	Issue Date:	Page 1 of 2 07/06/2023
Name of Customer (Report Issued To):	RAJDHANI PUBLIC SCHOOL KURENI ROAD, NARELA, DELHI-110040		
Name of Manufacturer:	N/A		
Item Description/Particulars Of Sample Submitted:	Said to be, "R.O. Water for Drinking Purpose"		
Sample/Item Condition:	Fit for testing		
Identification:	Model: -	Serial No.:	Nil
Sample Deposited/Collected by:	Customer	Sample Code:	Nil
Customer Reference no.	Nil	Date:	02/06/2023
Job Order No.:	BTH-R3/CH/230602/2	Date of receipt:	02/06/2023
Date(s) of performance of tests:	05/06/2023 to 06/06/2023		
Laboratory Name and Address:	BHARAT TEST HOUSE PVT. LTD. 1668 (DIV-II), HSIIDC Indl. Estate, Rai, Distt. Sonapat-131029 Haryana.		
Test Location:	At Lab		
Test Specification(s):	Protocol followed as per IS 10500:2012 with Amendment No. 1, 2, 3 & 4		
General Environmental Conditions:	Temperature: 23°C ± 2°C; Relative Humidity: 65% ± 10% RH		
Result:	The results reported are as per relevant specifications/standards.		
Supplementary Information's:	- Deviation from the test methods as prescribed in relevant Specification/Work Instructions: N/A - The information supplied by the customer may affect the validity of results reported as per standard requirement.		
Abbreviations:	N/A :- Not Applicable		
Remarks:	1. This report is supplementary with reference to our earlier test report no. TR320230607010 dated 07/06/2023. 2. The report has been generated and verified digitally.		
This report is related to the sample submitted.			
Tested by:	Reviewed by:	Authorized by:	
			
Neha Mandal	Suruchi Tiwari	Suruchi Tiwari	
Testing Engineer/Analyst	Authorized Signatory/TM/QM/Dy.QM	Authorized Signatory/TM/QM/Dy.QM	
Date: 07/06/2023	Date: 07/06/2023	Date: 07/06/2023	



Scan this QR Code to verify the Report


MANAGER
RAJDHANI PUBLIC SCHOOL
NARELA, DELHI - 110040


Vice Principal
Rajdhani Public School
Kureni Marg, Narela, Delhi-40

BTHPL/7 2/01

BHARAT TEST HOUSE PVT. LTD.


1668(DIV-II), HSIIDC Industrial Estate, Rai, Distt. Sonapat, Haryana-131029
Tel.: 0130-2974474 | Mob.: 8053000887, 8930260106 | email: bthrai@bharattesthouse.com

(1) The above results are related only to the Tests/Calibration performed on the product received. Endorsement of product is neither inferred nor implied. (2) This report is not to be reproduced wholly or in part & forbidden to be used as an evidence in the court law & ought not to be used in any advertising media without our special permission in writing. (3) Samples will be disposed after 30 days except perishable items (within 7 days) from date of issue of report or as per the regulatory guidelines, if not collected or claimed by the customer. (4) Total liability of our Test House is limited to the invoice amount only. (5) Report refers to the product received by Bharat Test House Pvt. Ltd. unless mentioned otherwise.


Test Report No. TR320230607011

Page 2 of 2
Date: 07/06/2023


Sr. No.	Test & Clause reference	Requirements as per IS 10500:2012 with amendment No. 1, 2, 3 & 4	Test Results/ Observations
		Requirement (Acceptable Limit)	
1.	E.coli /100 ml Cl 4.1.1, Table 6, S. No (i) of IS 10500: 2012 and IS 15185:2016	Shall not be detectable in any 100 ml sample	Absent/100ml
2	Total Coliform bacteria, MPN /100 ml Cl 4.1.1, Table 6, S. No (i) of IS 10500: 2012 and IS 15185:2016	Shall not be detectable in any 100 ml sample	Absent/100ml



.....End of Document.....



MANAGER
RAJDHANI PUBLIC SCHOOL
NARELA, DELHI - 110040



Vice Principal
Rajdhani Public School
Kureni Marg, Narela, Delhi-40

BTHPL/7.2/01

BHARAT TEST HOUSE PVT. LTD.

1668(DIV-II), HSIIDC Industrial Estate, Rai, Distt. Sonapat, Haryana-131029
Tel.: 0130-2974474 | Mob.: 8053000887, 8930260106 | email: bthral@bharattesthouse.com

(1) The above results are related only to the Tests/Calibration performed on the product received. Endorsement of product is neither inferred nor implied. (2) This report is not to be reproduced wholly or in part & forbidden to be used as an evidence in the court law & ought not to be used in any advertising media without our special permission in writing. (3) Samples will be disposed after 30 days except perishable items (within 7 days) from date of issue of report or as per the regulatory guidelines, if not collected or claimed by the customer. (4) Total liability of our Test House is limited to the invoice amount only. (5) Report refers to the product received by Bharat Test House Pvt. Ltd. unless mentioned otherwise.